



Printing date 18.08.2011 Version 9 Revision: 18.08.2011

### 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

Trade name: A 908 part 1

· Article number: 17071

Relevant identified uses of the substance or mixture and uses advised against

To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.

- Application of the substance / the preparation

Photochemicals Tank cleaner

Reserved for industrial and professional use.

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Calbe Chemie GmbH

Stadtfeld 31 D-39240 Calbe

Tel.: +49 (0)39291 425-0 Fax: +49 (0)39291 425-25 e-mail: info@calbe-chemie.de

www.calbe-chemie.de

Informing department:

Tel.: +49 (0)39291 42515 E-Mail: kr@calbe-chemie.de

• Emergency telephone number: Tel.: 0700-24112112 (CAL)

#### 2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361d Suspected of damaging the unborn child.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2 H319 Causes serious eye irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

🗶 Xn; Harmful

R22-40-63: Harmful if swallowed. Limited evidence of a carcinogenic effect. Possible risk of

harm to the unborn child.

💢 Xi; Irritant

R36: Irritating to eyes.

(Contd. on page 2)





Printing date 18.08.2011 Version 9 Revision: 18.08.2011

Trade name: A 908 part 1

(Contd. of page 1)

\*

N; Dangerous for the environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

- Label elements
- · Labelling according to EU guidelines:

The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)

Code letter and hazard designation of product:





Xn Harmful

N Dangerous for the environment

· Hazard-determining components of labelling:

thiourea

- · Risk phrases:
- 22 Harmful if swallowed.
- 36 Irritating to eyes.
- 40 Limited evidence of a carcinogenic effect.
- 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- 63 Possible risk of harm to the unborn child.
- Safety phrases:
  - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 36/37 Wear suitable protective clothing and gloves.
- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- Other hazards
- · Results of PBT and vPvB assessment
- **PBT**: Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with harmless additions.

(Contd. on page 3)





Printing date 18.08.2011 Version 9 Revision: 18.08.2011

Trade name: A 908 part 1

|                                     |  | (Contd. of page 2) |
|-------------------------------------|--|--------------------|
| · Dangerous compo                   | nents:   |                    |
| CAS: 5949-29-1<br>EINECS: 201-069-1 | Citric acid monohydrate  Xi R36  ∴ Eye Irrit. 2, H319  | 25-50%             |
| CAS: 62-56-6<br>EINECS: 200-543-5   | thiourea  Xn R22-40-63  N R51/53  Carc. Cat. 3, Repr. Cat. 3  Carc. 2, H351; Repr. 2, H361d  Aquatic Chronic 2, H411  Acute Tox. 4, H302 | 25-50%             |

· Additional information For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

- Description of first aid measures
- General information

Instantly remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 24 hours after the accident.

- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact The product is not skin irritating.
- After eye contact

Rinse opened eye for several minutes under running water (> 15 min). Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

Induce vomiting and call for medical help.

Instantly call for doctor.

- · Information for doctor None
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · Special hazards arising from the substance or mixture

Can be released in case of fire

sulphur dioxide (SO2)

Nitrogen oxides (NOx)

(Contd. on page 4)



Page 4/9

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2011 Version 9 Revision: 18.08.2011

Trade name: A 908 part 1

(Contd. of page 3)

Advice for firefighters

· Protective equipment: Do not inhale explosion gases or combustion gases.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Avoid causing dust.

Ensure adequate ventilation.

· Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

Inform respective authorities in case product reaches water or sewage system.

Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to item 13.

Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### 7 Handling and storage

- Handling
- Precautions for safe handling

Store in cool, dry place in tightly closed containers.

Avoid release to the environment.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Recommended storage temperature: 5-30 °C
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the compilation were used as basis.
- **Exposure controls**
- · Personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to general rules for handling chemicals.

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

(Contd. on page 5)





Printing date 18.08.2011 Version 9 Revision: 18.08.2011

Trade name: A 908 part 1

(Contd. of page 4)

Do not eat, drink or smoke while working.

· Breathing equipment: Not necessary if room is well-ventilated.

#### Protection of hands:

Protective gloves.

The protective gloves to be used must comply with the specifications of the EC directive 89/686/ EEC and the resultant standard EN 374.

This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Thickness (mm) Breakthrough time (min)

 Nitril rubber
 0,38
 > 480

 Neoprene
 0,65
 > 240

 Butyl rubber
 0,36
 > 480

Avoid natural rubber gloves.

 For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Synthetic gloves

Value for permeation: Level:

≥3 (60 min)

• Eye protection: Safety glasses

· Body protection: Protective work clothing.

#### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Solid.
Colour: Colourless
Odour: Not characteristic

Change in condition

Melting point/Melting range: Not determined Boiling point/Boiling range: Not determined

· Flash point: Not applicable

- Ignition temperature: 345 ℃

• **Self-inflammability:** Product is not selfigniting.

• **Danger of explosion:** Product is not explosive.

Density Not applicable

· Solubility in / Miscibility with

Water: Soluble

Viscosity:

dynamic: Not applicable

(Contd. on page 6)





Printing date 18.08.2011 Version 9 Revision: 18.08.2011

Trade name: A 908 part 1

(Contd. of page 5)

|                                   | (conta. or page of                                    |
|-----------------------------------|---|
| kinematic:                        | Not applicable  |
| Solvent content:                  |   |
| Solids content: Other information | 100.0 %<br>No further relevant information available. |

### 10 Stability and reactivity

- Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions Reacts with acids, alkalis and oxidizing agents
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None

### 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

| · LD/LC50 values that are relevant for classification: |          |                     |
|--|----------|---------------------|
| 62-56-6 thiourea                                       |          |                     |
| Oral   | LD50     | 1750 mg/kg (rat)    |
| Dermal   | LD50     | 2800 mg/kg (rabbit) |
| Inhalative   | LC50/4 h | 0.17 mg/l (rat)     |

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritant effect.
- Sensitization: Sensitizing effect by skin contact is possible by prolonged exposure.
- · Additional toxicological information:

This statement was deduced from the properties of the single components.

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

Harmful Irritant

Dangerous for the environment.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Limited evidence of a carcinogenic effect.

Possible risk of harm to the unborn child.

#### 12 Ecological information

- Toxicity
- Acquatic toxicity: Not determined
- Persistence and degradability Not determined

(Contd. on page 7)





Printing date 18.08.2011 Version 9 Revision: 18.08.2011

Trade name: A 908 part 1

(Contd. of page 6)

- Behaviour in environmental systems: Not determined
- · Bioaccumulative potential Not determined
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:

EC50 crustaceans (48h) 9 mg/l

IC50 algae 5,6 mg/l/72 h

- · Remark: Toxic for fish
- · Behaviour in sewage processing plants: Not determined
- · Additional ecological information:
- General notes:

At present there are no ecotoxicological assessments.

The product contains materials that are harmful to the environment.

Water hazard class 2 (German Regulation) (Self-assessment): Water-endangering.

Do not allow product to reach ground water, water bodies or sewage system.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

European waste catalogue

16 07 09\* wastes containing other dangerous substances

- Uncleaned packagings:
- Recommendation:

Non contaminated packagings can be used for recycling.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product. EAK-No. 15 01 10

· Recommended cleaning agent: Water, if necessary with cleaning agent.

### 14 Transport information

- · UN-Number
- · ADR, IMDG, IATA UN 3077

(Contd. on page 8)





Printing date 18.08.2011 Version 9 Revision: 18.08.2011

Trade name: A 908 part 1

(Contd. of page 7) UN proper shipping name · ADR ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., mixture · IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (thiourea) Transport hazard class(es) · ADR, IMDG, IATA · Class 9 Miscellaneous dangerous substances and articles. · Label Packing group - ADR, IMDG, IATA Ш · Environmental hazards: Marine pollutant: Yes Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) · Special precautions for user Warning: Miscellaneous dangerous substances and articles. · Kemler Number: 90 · EMS Number: F-A,S-F · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: · ADR · Remarks: "Limited quantity" according to chapter 3.4 ADR · IMDG Remarks: "Limited quantity" according to chapter 3.4 IMDG · IATA · Remarks: Packing Instruction PAX/CÃO 956 UN "Model Regulation": UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., mixture, 9, III

GB ·





Printing date 18.08.2011 Version 9 Revision: 18.08.2011

Trade name: A 908 part 1

(Contd. of page 8)

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- National regulations

| Class | Share in % |
|-------|------------|
| I     | 36.5       |

- · Water hazard class: Water hazard class 2 (Self-assessment): water-endangering.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

R22 Harmful if swallowed.

R36 Irritating to eyes.

R40 Limited evidence of a carcinogenic effect.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R63 Possible risk of harm to the unborn child.

- · Recommended restriction of use No public product, only for commercial use
- Department issuing data specification sheet:

Laboratory

Tel.: +49 (0)39291 425-15

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

#### · Sources

applicable EEC directives:

- 67/548
- 1999/45
- 1907/2006
- 1272/2008

Internal physical tests, MSDS of the ingredients,

Information system on hazardous substances of the German Social Accident Insurance (GESTIS-database on hazardous substances), http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp

\* Data compared to the previous version altered.





Printing date 18.08.2011 Version 9 Revision: 18.08.2011

### 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

Trade name: A 908 part 2

· Article number: 17071

· Relevant identified uses of the substance or mixture and uses advised against

To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.

Application of the substance / the preparation

Photochemicals Tank cleaner

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Calbe Chemie GmbH

Stadtfeld 31 D-39240 Calbe

Tel.: +49 (0)39291 425-0 Fax: +49 (0)39291 425-25 e-mail: info@calbe-chemie.de

www.calbe-chemie.de

Informing department:

Tel.: +49 (0)39291 42515 E-Mail: kr@calbe-chemie.de

• Emergency telephone number: Tel.: 0700-24112112 (CAL)

#### 2 Hazards identification

- · Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS03 flame over circle

Ox. Sol. 2 H272 May intensify fire; oxidiser.



GHS08 health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS07

Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2Skin Sens. 1H317 May cause an allergic skin reaction.STOT SE 3H335 May cause respiratory irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

🗶 Xn; Harmful

R22: Harmful if swallowed.

💢 Xn; Sensitising

R42/43: May cause sensitisation by inhalation and skin contact.

(Contd. on page 2)





Printing date 18.08.2011 Version 9 Revision: 18.08.2011

Trade name: A 908 part 2

(Contd. of page 1)

💢 Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

O; Oxidising

R8: Contact with combustible material may cause fire.

Classification system:

The classification is in line with current EC lists, It is expanded, however, by information from technical literature and by information furnished by supplier companies.

- Label elements
- · Labelling according to EU guidelines:

The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)

Code letter and hazard designation of product:





Xn Harmful O Oxidising

· Risk phrases:

Contact with combustible material may cause fire.

Harmful if swallowed.

36/37/38 Irritating to eyes, respiratory system and skin.

42/43 May cause sensitisation by inhalation and skin contact.

Safety phrases:

22 Do not breathe dust.

24 Avoid contact with skin.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

37 Wear suitable gloves.

43 In case of fire, use water.

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture consisting of the following components.
- Dangerous components:

(Contd. on page 3)





Printing date 18.08.2011 Version 9 Revision: 18.08.2011

Trade name: A 908 part 2

#### 4 First aid measures

- Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- After eve contact

Rinse opened eye for several minutes under running water (> 15 min). Then consult doctor.

- After swallowing Drink copious amounts of water and provide fresh air. Instantly call for doctor.
- Information for doctor None
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. Sulphur oxides (SOx)

- Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

#### 6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective clothing.

Avoid causing dust.

- · Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- Methods and material for containment and cleaning up:

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

(Contd. on page 4)



Page 4/9

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2011 Version 9 Revision: 18.08.2011

Trade name: A 908 part 2

(Contd. of page 3)

Reference to other sections

See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

### 7 Handling and storage

Handling

· Precautions for safe handling

Store in cool, dry place in tightly closed containers.

Prevent formation of dust.

Information about protection against explosions and fires:

Substance/product is oxidizing when dry.

- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility:

Store away from flammable substances.

- · Further information about storage conditions: None.
- · Storage class LGK 5.1B (VCI-Concept)
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the compilation were used as basis.
- **Exposure controls**
- · Personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to general rules for handling chemicals.

Keep away from foodstuffs, beverages and food.

Do not eat, drink or smoke while working.

Take off immediately all contaminated clothing.

Avoid close or long term contact with the skin.

- · Breathing equipment: Not necessary if room is well-ventilated.
- Protection of hands:

Protective gloves.

The protective gloves to be used must comply with the specifications of the EC directive 89/686/ EEC and the resultant standard EN 374.

This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)





Printing date 18.08.2011 Version 9 Revision: 18.08.2011

Trade name: A 908 part 2

(Contd. of page 4)

· Material of gloves

Nitrile rubber, NBR Butvl rubber, BR

Recommended thickness of the material: > 0.38 mm

Avoid natural rubber gloves.

· Penetration time of glove material

Value for permeation: Level ≥ 6 (480 min)

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

 For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Synthetic gloves

Value for permeation: Level:

≥3 (60 min)

· Eye protection: Safety glasses

· Body protection: Light weight protective clothing

#### 9 Physical and chemical properties

Information on basic physical and chemical properties

· General Information

- Appearance:

Form: Crystalline powder

Colour: Colourless
Odour: Odourless

• pH-value (560 g/l) at 25 °C: 2.6

· Change in condition

Melting point/Melting range: Not determined Boiling point/Boiling range: Not determined

• Flash point: Not applicable

· Inflammability (solid, gaseous) Product is not inflammable.

Ignition temperature:

**Decomposition temperature:** > 180 °C

• Danger of explosion: Product is not explosive.

Critical values for explosion:

Oxidizing properties Yes

Density at 20 °C 2.59 g/cm<sup>3</sup>

Solubility in / Miscibility with

Water: Soluble

Other information No further relevant information available.

GB





Printing date 18.08.2011 Version 9 Revision: 18.08.2011

Trade name: A 908 part 2

(Contd. of page 5)

### 10 Stability and reactivity

- Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None

#### 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- LD/LC50 values that are relevant for classification:

7775-27-1 disodium peroxodisulphate

Oral LD50 1000 mg/kg (rat)

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritant effect.
- · Sensitization:

Sensitization possible by inhalation. Sensitization possible by skin contact.

#### 12 Ecological information

- Toxicity
- Acquatic toxicity: Not determined
- Persistence and degradability Not determined
- · Behaviour in environmental systems: Not determined
- · Bioaccumulative potential Not determined
- · Mobility in soil No further relevant information available.
- Ecotoxical effects: Not determined
- · Behaviour in sewage processing plants: Not determined
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): Weakly water-endangering.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

GE





Printing date 18.08.2011 Version 9 Revision: 18.08.2011

Trade name: A 908 part 2

(Contd. of page 6)

### 13 Disposal considerations

- · Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

European waste catalogue

16 05 07\* discarded inorganic chemicals consisting of or containing dangerous substances

- Uncleaned packagings:
- Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product. EAK-No. 15 01 10

· Recommended cleaning agent: Water, if necessary with cleaning agent.

| 14 Transport information  |   |                   |
|---|---|-------------------|
| · UN-Number<br>· ADR, IMDG, IATA                                  | UN 1505   |                   |
| <ul><li>UN proper shipping name</li><li>ADR, IMDG, IATA</li></ul> | SODIUM PERSULPHATE                                      |                   |
| · Transport hazard class(es) · ADR                                |   |                   |
| <b>8</b>  |   |                   |
| · Class<br>· Label  | <ul><li>5.1 Oxidising substances.</li><li>5.1</li></ul> |                   |
| · IMDG, IATA  |   |                   |
| · Class<br>· Label  | <ul><li>5.1 Oxidising substances.</li><li>5.1</li></ul> |                   |
| · Packing group<br>· ADR, IMDG, IATA                              | III   |                   |
| · Environmental hazards:<br>· Marine pollutant:                   | No  |                   |
| · Special precautions for user<br>· Kemler Number:                | Warning: Oxidising substances.                          |                   |
|   |   | (Contd. on page 8 |





Printing date 18.08.2011 Version 9 Revision: 18.08.2011

Trade name: A 908 part 2

|   | (Contd. of page 7                                |
|---|--|
| · EMS Number:   | F-A,S-Q  |
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code | II of Not applicable.                            |
| · Transport/Additional information:                               |  |
| · ADR<br>· Remarks:   | "Limited quantity" according to chapter 3.4 ADR  |
| · IMDG<br>· Remarks:  | "Limited quantity" according to chapter 3.4 IMDG |
| · IATA<br>· Remarks:  | Packing Instruction<br>PAX 559, CAO 563          |
| · UN "Model Regulation":  | UN1505, SODIUM PERSULPHATE, 5.1, III             |

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): weakly water-endangering.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

|           | H272   | May intensify fire; oxidiser.  |
|-----------|--------|--|
|           | H302   | Harmful if swallowed.  |
|           | H315   | Causes skin irritation.  |
|           | H317   | May cause an allergic skin reaction.                                       |
|           | H319   | Causes serious eye irritation.   |
|           | H334   | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
|           | H335   | May cause respiratory irritation.  |
|           | R22    | Harmful if swallowed.  |
| R36/37/38 |        | Irritating to eyes, respiratory system and skin.                           |
|           | B/2//3 | May cause consideration by inhalation and skin contact                     |

- R42/43 May cause sensitisation by inhalation and skin contact.
  R8 Contact with combustible material may cause fire.
- · Recommended restriction of use No public product, only for commercial use
- · Department issuing data specification sheet:

Laboratory

Tel.: +49 (0)39291 425-15

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 9)



Page 9/9

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2011 Version 9 Revision: 18.08.2011

Trade name: A 908 part 2

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

#### Sources

applicable EEC directives:

- 67/548
- 1999/45
- 1907/2006
- 1272/2008

Internal physical tests, MSDS of the ingredients,

Information system on hazardous substances of the German Social Accident Insurance (GESTIS-database on hazardous substances), http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp

· \* Data compared to the previous version altered.

(Contd. of page 8)